

# EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED), issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Authority. This Certificate is issued by DNV GL AS under the authority of the Government of Norway.

**This is to certify:**

**That the Surface materials and floor coverings with low flame-spread characteristics: paint systems**

with type designation(s)  
**Decidamp SP150**

Issued to  
**Pyrotek Dongguan Limited**  
**Dongguan, Guangdong, China**

is found to comply with the requirements in the following Regulations/Standards:  
Regulation **(EU) 2019/1397,**  
**item No. MED/3.18b. SOLAS 74, Reg. II-2/3, II-2/5, II-2/6 & X/3, IMO MSC/Circ. 1120, 2000 HSC Code 7 and IMO 2010 FTP Code**


Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until **2024-11-05.**

Issued at **Høvik** on **2019-11-06**

DNV GL local station:  
**China South NB**

Approval Engineer:  
**Nanna Martine Jacobsen**



Notified Body  
No.: **0575**



for **DNV GL AS**

Digitally Signed By: Hoff, Øyvind  
Location: DNV GL Høvik, Norway  
on behalf of

**Roald Vårheim**  
**Head of Notified Body**

A U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production module certificate (module D, E or F), as allowed by the "Agreement between the United States of America and the EEA EFTA states on the mutual recognition of Certificates of Conformity for Marine Equipment" signed 17 October 2005.

The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with Directive 2014/90/EU.

This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV GL AS of any changes to the approved equipment. This certificate remains valid unless suspended, withdrawn, recalled or cancelled.

Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.



Job Id: **344.1-009329-1**  
Certificate No: **MEDB00005C7**

## **Product description**

"Decidamp SP150",  
is a fast drying, water based viscoelastic vibration damping compound and adhesive.

Max. thickness: 10 mm (dry film thickness)  
Nominal density: 1.6 g/cm<sup>3</sup>

## **Application/Limitation**

Approved for use as low flame spread material (both as adhesive and paint), not generating excessive quantities of smoke nor toxic products in fire.

Approved for use as paint systems on a metallic substrate with thickness of at least 0.75 mm.

Approved colour (tested colour): Grey and brighter colour.

Maximum organic content: 20 wt% per dry film thickness.

The product satisfies the requirement for maximum calorific value (ref. SOLAS Chapter II-2, Reg. 5.3.2.2) without further testing.

Each product is to be supplied with its manual for application and maintenance.

## **Type Examination documentation**

Test Report No. FT19157 dated 2 July 2019 from Far East testing Centre (FEFTC), Shanghai, China

Technical data sheet 113IP-1 for Decidamp SP150 from Pyrotek.

## **Tests carried out**

Tested according to IMO 2010 FTP Code part 5 and Annex 2 item 2.2 and 2.3.

## **Marking of product**

The product or packing is to be marked with name and address of manufacturer, type designation, Mark of Conformity and USCG approval number if applicable (see page 1).